# MATERIAL SAFETY DATA SHEET

## Salt Solution, "The Purple Stuff"

Identity (Trade name as used on label)

Manufacturer	MSDS #	
Jack's Magic Products, Inc.	N/A	
Address	CAS #	
12435 73rd Ct.	N/A	
	Date Prepared	
Largo, FL 33773	5/2008	
Phone # (for information)	Prepared By	
1-800-348-1656	N/A	

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

## **SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS – Chemical Name & Common Name (Hazardous Components 1% or greater, carcinogens 0.1% or greater)	%	OSHA PEL	ACHH TLV	OTHER LIMITS RECOMMENDED
Proprietary Formulation	100			
Contains: (1-Hydroxyelthylidene-1, 1- diphosphonic Acid)				
Non-Hazardous Ingredients				
TOTAL	100			

## SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	Specific Gravity $(H_2 = 1)$	
>100 deg. C (212 deg. F)	1.09 – 1.19 @ 25 deg. C	
Vapor Pressure (mm/Hg and Temperature)	Melting Point	
Similar to water	N/A	
Vapor Density (Air = 1)	Evaporation Rate	
Similar to water	N/A	
Solubility in Water	Water Reactive	
Complete	N/A	
Appearance and Color		

Appearance and Color

Clear purple (may turn straw-colored to light amber if dye fades) liquid; slight odor.

## **SECTION 3 – HAZARDS IDENTIFICATION**

	Health	Flammability	Reactivity
HMIS Hazard Code	3	0	0
NFPA Hazard Code	3	0	0

#### **SECTION 4 – FIRE AND EXPLOSION DATA**

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL.	UEL
Non-flammable	N/A	N/A	N/A	N/A

Extinguisher Media

#### Waterfog CO2, Foam, Dry Chemical

Special Fire Fighting Procedures

Eliminate ignition source. Wear self-contained breathing apparatus and complete personal protective equipment. Use water spray to cool fire, exposed structures and tanks, and to disperse vapor cloud if fire is not present.

Unusual Fire and Explosion Hazards Although this material does not meet the parameters for flammability, it will burn in the presence of a strong ignition source after the water is removed.

#### **SECTION 5 – REACTIVITY HAZARD DATA**

Stability Conditions to Avoid ☐ Stable ☐ Unstable				
Incompatibility (Materials to Avoid) Oxidizers				
Hazardous Decomposition Products				
None known.				
Hazardous Polymerization Conditions to Avoid				
May Occur     Avoid contact with	th strong oxidizing agents.			
<b>SECTION 6 – HEALTH HAZA</b>	ARD DATA			
Primary Routes of Entry Inhalation Ingestion Skin Absorption Not Hazardous	Carcinogen Listed In       □ NTP     □ OSHA       □ IARC Monograph     ☑ Not Listed			
Health Hazards				
Acute: May cause skin and eye burns.				
Chronic: : None known.				
Signs and Symptoms of Exposure May cause skin and eye burns.				
Medical Conditions Generally Aggravated by Exposure				
None known.				
Emergency First Aid Procedures See below.				
Eye Contact				
	f water for at least 15 minutes. Hold eyelids open during			
washing. See a physician if irritation of Skin Contact	DCCUrs.			
	water while removing contaminated clothing and shoes.			
	ard. See a physician if irritation occurs.			
Inhalation				
Remove patient from contaminated area. Give oxygen if needed. See a physician if irritation of				
respiratory tract occurs.				
Ingestion	of water. (Do not give food to an unconscious person). Seek			
immediate medical attention.None required for normal operations.				
SECTION 7 – CONTROL AN	D PROTECTIVE MEASURES			
Respiratory Protection (Specific Type)				
None required for normal operations.				
Protective Gloves	Eye Protection			
Impervious gloves Ventilation To Be Used	Splash-proof safety goggles.			

□ Local Exhaust □ Mechanical (general) □ Special ⊠ Other (specify):

Other Protective Clothing and Equipment

Wear protective clothing to minimize skin contact and chemical resistant safety shoes.

Hygienic Work Practices

Do not get in eyes, on skin, or on clothing. Avoid breathing vapor and mist. Handle with due care.

#### **SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE**

Steps to be taken of material is spilled or released

Floor will become slippery. Use care. Wear splash-proof eye protection and impervious clothing. Contain spill with inert material (sand, earth, ect.) and transfer to separate containers for disposal. Water Disposal Methods

Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain vapor or product residue and can be dangerous.

Precautions to be taken in handling and storage

Avoid contact with skin and eyes. Avoid contact with strong oxidizers. Keep out of reach of children. Other Precautions and/or Special Hazards

N/A