

Product Name 3" Chlorinating Tablets

Product id 9716PB

Revision date 04/05/2005 Revision: 2

Supersedes 11/01/2005

1. Identification of the substance & the company

Chemical name Trichloro-s-triazinetrione

Synonym(s) Trichloroisocyanuric Acid; TCCA; Trichlor; Trichloro-s-triazinetrione; Symclosene

Chemical formula C 3 Cl 3 N 3 O 3

Chemical family Chloroisocyanurate

Molecular weight 232.5

Type of product and use For disinfectant, sanitizers, fungicides, bactericides and algaecides for pools, spas and

hot tubs

Supplier NAVA Water Products

2115 Linwood Avenue, Fort Lee, New Jersey 07024-5004

USA

Tel: 201 242 6560

Emergency Telephone Chemtrec (800)424-9300

2. Composition / information on ingredients

| Components | Weight % | ACGIH-TLV Data | OSHA (PEL) Data |
|----------------------|----------|----------------|-----------------|
| CAS | | | |
| TRICHLOROISOCYANURIC | 96-100 | Not determined | Not determined |
| ACID | | | |
| 87-90-1 | | | |
| DICHLOROISOCYANURIC | 0-4 | Not determined | Not determined |
| ACID | | | |
| 2782-57-2 | | | |

3. Hazards identification

Emergency overview White tablet

Oxidizer

Corrosive to eyes, skin and mucous membranes.

Harmful by inhalation and if swallowed.



Product Name 3" Chlorinating Tablets

Product id 9716PB

Revision date 04/05/2005 Revision: 2

Supersedes 11/01/2005

Potential Health Effects:

- Eye Contact Severe irritation and/or burns can occur following eye exposure. Contact may cause

impairment of vision and corneal damage.

- Skin contact Dermal exposure can cause severe irritation and/or burns characterized by redness,

swelling and scab formation.

Repeated skin exposure may cause tissue destruction due to the corrosive nature of

the product.

- Inhalation Irritating to the nose, mouth, throat and lungs.

It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of

lung function.

Inhalation of high concentrations can result in permanent lung damage from the

corrosive action of the lung.

stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain,

bleeding and/or tissue ulceration.

Ingestion causes severe damage to the gastrointestinal tract with the potential to

cause perforation.

NFPA Ratings (Scale 0-4) Health = 3, Fire = 0, Reactivity = 2.

Special Hazard Warning: OXIDIZER

HMIS Ratings (Scale 0-4) Health = 3, Fire = 0, Reactivity = 2.

4. First-aid measures

Eye contactHold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a

poison control center or doctor for treatment advise.

Skin contact Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control

center or doctor for treatment advise.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison

control center or doctor for further treatment advise.

IngestionCall poison control center, or doctor immediately for treatment advise.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor. Do

not give anything by mouth to an unconscious person.



Product Name 3" Chlorinating Tablets

 Product id
 9716PB

 Revision date
 04/05/2005

 Supersedes
 11/01/2005

Two name

5. Fire - fighting measures

Flash point Not applicable
Auto-ignition temperature Not applicable
Suitable extinguishing media Water

Extinguishing media not to be

used

Do not use dry chemical extinguisher containing ammonia compounds.

Fire fighting procedure Fire fighters should wear full protective clothing and self-contained breathing

apparatus (SCBA) in positive pressure mode Cool containers with water spray. On

Revision: 2

small fires, use water spray or fog.

On large fires, use heavy deluge or fog streams.

Flooding amounts of water may be required before extinguishment can be

accomplished.

Unusual fire and explosion

hazards

When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide and carbon

dioxide.

6. Accidental release measures

Personal precautions

For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges.

Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls; chemical resistant gloves; chemical resistant footwear; and chemical resistant headgear for overhead exposure.

For clean-up of large spills, or small dry spills in confined areas, wear full-face

respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to

prevent personal contact with material.

CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride

gas may occur and an explosive condition may exist.

Methods for cleaning up

Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

- Soil Do not contaminate spill material with any organic materials, ammonia, ammonium

salts or urea.

Clean up all spill material with clean, dry dedicated equipment and place in a clean dry

container.

- Water This material is heavier than and soluble in water. Stop flow of material into water as

soon as possible. Begin monitoring for available chlorine and pH immediately.



Product Name 3" Chlorinating Tablets

Product id 9716PB

Revision date 04/05/2005 Revision: 2

Supersedes 11/01/2005

- In air Vapors may be suppressed by the use of water fog.

7. Handling and storage

Handling Avoid bodily contact.

Do not take internally.

Upon contact with skin or eyes, wash off with water.

Storage Store in a dry, cool, well-ventilated area away from incompatible materials (see

"materials to avoid"). Product has an indefinite shelf-life limitation. Do not store at

temperatures above 60°C/140°F.

Available chlorine loss can be as little as 0.1% per year at ambient temperatures.

8. Exposure controls / personal protection

Ventilation requirements

Use local exhaust ventilation to minimize dust and chlorine levels where industrial use

occurs.

Otherwise, ensure good general ventilation.

Personal protective equipment:

- Respiratory protection When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with

chlorine cartridges for protection againts chlorine gas and dust/mist pre-filter.

Hand protection Neoprene gloves

Eye protection Use chemical safety glasses to avoid eye contact.

Where industrial use occurs, chemical goggles may be required.

- **Skin and body protection** Body covering clothes and boots

Hygiene measures Avoid contact with skin, eyes and clothing.

9. Physical and chemical properties

Appearance White tablet

Odor Sharp,chlorine-like,bleach odor

Melting point/rangeNot applicableBoiling point/rangeNot applicable

Vapour pressureNot applicable under standard conditionsVapor densityNot applicable under standard conditionsEvaporation rate (ether=1)Not applicable under standard conditions

Solubility:

Bulk density Granular-0.89-1.1 g/cc

Tablets - 1.16-1.9 g/cc

Specific gravity >1

pH 2.7-2.9 (1% solution)

Decomposition temperature 225 °C (437°F)



Product Name 3" Chlorinating Tablets

Product id 9716PB

Revision date 04/05/2005 Revision: 2

Supersedes 11/01/2005

10. Stability and reactivity

Stability Stable under normal conditions Do not package in paper or cardboard.

NOTE: Contact with small amounts of water may result in an exothermic reaction with

the liberation of toxic fumes.

Materials to avoid Organic materials, reducing agents, nitrogen containing materials, other oxidizers,

Heating above decomposition temperature

acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium

compounds.

dioxide.

Conditions to avoid

Hazardous decomposition

Nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide, carbon

products

Hazardous polymerization Will not occur

11. Toxicological information

Acute toxicity:

- Rat oral LD50 490 mg/kg- Rabbit dermal LD50 >2000 mg/kg

- Rat inhalation LC50 Approx.0.68 mg/l/4 hour - (nose only)

Eye irritation (rabbit)Dermal irritation (rabbit)CorrosiveCorrosive

Target organ effects

This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract.

There are no known or reported effects from repeated exposure.

Toxicological investigation indicates it does not produce significant effects from chronic

exposure.

Chronic toxicity Prolonged exposure may cause damage to the respiratory system.

Chronic inhalation exposure may cause impairment of lung function and permanent

lung damage.

Mutagenicity Not mutagenic in five Salmonella strains and one E.coli strain with or without

mammalian microsomal activation.

Carcinogenicity Not classified by IARC, OSHA, EPA.

Not included in NTP 11th Report on Carcinogens.

Reproductive toxicityThere are no known or reported effects on reproductive function or fetal development.

Toxicological investigation indicates it does not effect reproductive function of fetal

development.



.....

Product Name 3" Chlorinating Tablets

Product id 9716PB

Revision date 04/05/2005 Revision: 2

Supersedes 11/01/2005

12. Ecological information

Aquatic toxicity:

- 96 Hour-LC50, Fish 0.32 mg/l (Rainbow trout)

0.30 mg/l (bluegill sunfish)

- 48 Hour-LC50, Daphnia magna 0.21 mg/l

Avian toxicity:

Oral LD50, Mallard duck
 Dietary LC50, Mallard duck
 Dietary LC50, Bobwhite quail

13. Disposal considerations

Waste disposal Observe all federal, state and local environmental regulations when disposing of this

material. If this product becomes waste, it will be a hazardous waste that is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly. Care must be taken to prevent environmental contamination from the use of this

material.

14. Transportation information

UN No. 2468

DOT Proper shipping name: Trichloroisocyanuric Acid Dry

Class: 5.1 - Oxidizing substances

Label: OXIDIZER (5.1)
Packing Group: II
Emorganey Guide No. 1

Emergency Guide No.141

IMO Proper shipping name: Trichloroisocyanuric Acid Dry

Class: 5.1 - Oxidizing substances Label: OXIDIZING AGENT (5.1)

Packing Group: II

ICAO/IATA Label: OXIDIZER (5.1)

Class: 5.1

Packing group: II

15. Regulatory information

USA Reported in the EPA TSCA Inventory



Product Name 3" Chlorinating Tablets

Product id 9716PB

Revision date 04/05/2005 Revision: 2

Supersedes 11/01/2005

Sara (311, 312) hazard class This product is categorized as an immediate health hazard, and fire and reactivity

physical hazard

Sara 313 Not listed

- WASTE CLASSIFICATIONS If this product becomes a waste, it meets the criteria of a hazardous waste as defined

under 40 CFR 261 and would have the following EPA hazardous waste number: D001.

- WORKPLACE CLASSIFICATION This product is considered hazardous under the OSHA Hazard Communication

Standard (29CFR 1910.1200).

EU Reported in EINECS

Australia Listed in AICS

China inventory Listed

South Korea KE-34101

Philippines Listed in PICCS

16. Other information

This data sheet contains changes from the previous version in section(s)

1

Although the information and recommendations set forth herein (herinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof.

Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use.

In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this MSDS and the English version of it, the English version shall prevail.

End of safety data sheet